Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
		TVA	VOC	1.52 - 2.25 ppm	
1. 12815 Fuqua St. Houston Tx	0650-0705	MultiRAE	O2, LEL, CO, H2S, VOC	0 ppm VOC, CO, H2S, LEL; 20.9% O2.	15 minute odor survey: no odors noted upon arrival or throughout odor survey.
		TVA	VOC	1.99 to 2.72 ppm	
2. 2121 Genoa Red Bluff Road Pasdadena	0715-0730	MultiRAE	O2, LEL, CO, H2S, VOC	0 ppm VOC, CO, H2S, LEL; 20.9% O2.	15 minute odor survey: no odors noted upon arrival or throughout odor survey.
3. 4848 Preston Road Pasadena	0735-0750	TVA	VOC	2.40 to 3.03 ppm	15 minute odor survey: no odors noted upon arrival or throughout odor survey.
		MultiRAE	O2, LEL, CO, H2S, VOC	0 ppm VOC, CO, H2S, LEL; 20.9% O2.	

Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
4. Yellowstone Park 4333 Lily Street 0	0800-0815	TVA	VOC	2.47 to 3.26 ppm	15-minute odor survey: no odors upon arrival or throughout odor survey.
		MultiRAE	O2, LEL, CO, H2S, VOC	0 ppm VOC, CO, H2S, LEL; 20.9% O2.	
5.5343 Kent Drive Pasadena Tx	0835-0850	TVA	VOC	2.36 - 3.02 ppm	15 minute odor survey: no odors upon arrival or throughout odor survey.
		MultiRAE	O2, LEL, CO, H2S, VOC	0 ppm VOC, CO, H2S, LEL; 20.9% O2.	
6. Strawberry Park, 1104 Parkside Drive, Pasadena	0900-09:15	TVA	VOC	2.11 - 2.87 ppm	15 minute odor survey: no odors noted upon arrival or during the odor survey.
		MultiRAE	O2, LEL, CO, H2S, VOC	0 ppm VOC, CO, H2S, LEL; 20.9% O2.	

Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
7. Burke Crenshaw Park;		TVA	VOC	1.61 - 2.39 ppm	15 minute odor survey: no odors noted upon arrival or during survey.
4950 Burke Road Pasadena	0935-0950	MultiRAE	O2, LEL, CO, H2S, VOC	0 ppm VOC, CO, H2S, LEL; 20.9% O2.	
8. Bondy Intermediate School 5101 Keith Avenue Pasadena	1000-1015	TVA	VOC	1.87 - 2.45 ppm	15 minute odor survey: very light manure odor noted upon arrival. No odors noted throughout survey.
		MultiRAE	O2, LEL, CO, H2S, VOC	0 ppm VOC, CO, H2S, LEL; 20.9% O2.	
9. Yes Prep Southeast 353 Crenshaw Road Houston	1030-1045	TVA	VOC	0.68 - 1.70 ppm	15 minute odor survey: very light manure odor noted
		MultiRAE	O2, LEL, CO, H2S, VOC	0 ppm VOC, CO, H2S, LEL; 20.9% O2.	upon arrival. No odors noted throughout survey. TVA Flamed out en route to location;

Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
10. AB Freeman Elementary School 2323 Theta Street, Houston	1055 - 1110	TVA	VOC	1.87 - 2.45 ppm	15 min odor survey: no odors noted upon arrival or throughout survey.
		MultiRAE	O2, LEL, CO, H2S, VOC	0 ppm VOC, CO, H2S, LEL; 20.9% O2.	
11. Matthy's Elementary School 1500 Main Street, South Houston	1120 - 1135	TVA	VOC	2.27 - 3.38 ppm	15 min odor survey: no odors noted upon arrival or throughout survey.O2 peaked on MultiRAE at 21.4; cause unknown; returned to 20.9% after pump check.
		MultiRAE	O2, LEL, CO, H2S, VOC	0 ppm VOC, CO, H2S, LEL; 20.9% O2.	
12. Gilpin Memorial Park 100 Gilpin Street Houston		TVA	VOC	2.25 - 3.10 ppm	20 minute odor survey: no odors noted upon arrival, moderate to light petrochemical, rubbery, sweet, moth ball odor noted at end of survey (1 moderate, 1 light). Winds coming out of the southeast. UltraRAE was not in operation during this survey.
		MultiRAE	O2, LEL, CO, H2S, VOC	0 ppm VOC, CO, H2S, LEL; 20.9% O2.	

Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
13. Christy Park, 820 Avenue I, South Houston	1220 - 1235	TVA	VOC	2.75 - 3.20 ppm	15 min odor survey: no odors noted upon arrival or throughout survey.
		MultiRAE	O2, LEL, CO, H2S, VOC	0 ppm VOC, CO, H2S, LEL; 20.9% O2.	
14. South Houston High School 3820 Shaver Street; South Houston	1245-1300	TVA	VOC	2.53 - 3.85 ppm.	15 min odor survey: no odors noted upon arrival or throughout survey
		MultiRAE	O2, LEL, CO, H2S, VOC	0 ppm VOC, CO, H2S, LEL; 20.9% O2.	
15. V.W. Miller Intermediate School		TVA	VOC	2.65 - 3.9s8 ppm	15 min odor survey: no odors noted upon arrival or throughout survey
1002 Fairmont Pkwy Pasadena	1310-1325	MultiRAE	O2, LEL, CO, H2S, VOC	0 ppm VOC, CO, H2S, LEL; 20.9% O2.	

Location	Time (Approx.)	Instrument	Parameters	Survey Results	Other Notes/Observations
16. Gulf Palms Park, 1200 Palm	1335 -	TVA	VOC	2.83 - 3.90 ppm	15 min odor survey: no odors noted upon arrival or
Springs Drive Houston,	1350	MultiRAE	O2, LEL, CO, H2S, VOC	0 ppm VOC, CO, H2S, LEL; 20.9% O2.	throughout survey.